
## Eradicating Elodea from the Kenai Peninsula – success?



John Morton Kenai National Wildlife Refuge

# V 73992 ALASKA, U.S.A. 21 July 1982 University of Alaska Herbarium, Fairbanks (ALA)

#### **Eyak Lake, Cordova**



## Eradicating Elodea from the Kenai Peninsula – success?

#### Known Locations of Elodea in Alaska Fairbanks: Chena River Cordova: Chena Slough Eyak Lake Chena Lake Eyak River Bering Lake McKinley Lake Anchorage: Martin Lakes Little Campbell Odiak Lagoon Sand Lake Wooded Pond Delong Lake Wrong Way Pond Mat-Su: Alexander Lake Kenai Peninsula: Stormy Lake Daniels Lake Beck Lake

John Morton Kenai National Wildlife Refuge



#### Sport Lake, Soldotna











#### Community Elodea Information Meeting

Nikiski Community Recreation Center Mile 23.4 Kenai Spur Highway

> Tuesday February 19<sup>th</sup>, 2013 6 - 8:30PM



Please join us for a community meeting to discuss what to do about the discovery of Elodea in Stormy & Daniels Lakes.

Dr. Lars Anderson (USDA Agricultural Research Service and University of California-Davis), an aquatic invasive plant expert, will be at the meeting to provide information about Elodea, discuss options for management, and share his experiences in coping with aquatic infestations.

Elodea is not native to the Kenai Peninsula, and can cause serious, irreversible harm to fish and aquatic habitats if allowed to spread unchecked.


Elodea presence has recently been confirmed in Stormy and Daniels Lake on the Kenai Peninsula, and in some slow-moving waters in Anchorage, Fairbanks, and Cordova.

Meeting Open to the Public For more information, please contact Janice Chumley at UAF-Cooperative Extensive Service, 907-262-5824










#### Why we don't want Elodea

Nuisance: impedes boat and float plane launching, navigation, and fishing Safety: fouls float plane rudders and boat propellers



**Ecological:** launch sites and degrades salmon shore habitats spawning habitat







#### INTEGRATED PEST MANAGEMENT PLAN FOR ERADICATING ELODEA FROM THE KENAI PENINSULA

#### April 2014

#### Prepared by Elodea Subcommittee of the Kenai Peninsula Cooperative Weed Management Area

John M. Morton (USFWS Kenai National Wildlife Refuge, Soldotna)
Brianne N. Blackburn (AK Department of Natural Resources, Palmer)
Elizabeth Bella (USFWS Kenai National Wildlife Refuge, Soldotna)
Matt Steffy (Homer Soil & Water Conservation District, Homer)
Cheryl Anderson (USFWS Kenai Fish & Wildlife Field Office, Soldotna)
Rob Massengill (Alaska Department of Fish and Game, Soldotna)
Jack Blackwell (AK State Parks, Soldotna)
Lisa Ka'aihue (Cook Inlet Aquaculture Association, Kenai)
Rebecca Zulueta (Kenai Watershed Forum, Soldotna)
Janice Chumley (UAF Cooperative Extension Service, Soldotna)
Michele Aranquiz (Kenai Peninsula Borough Mayor's Office, Soldotna)
Cecil Rich (USFWS Regional Office, Anchorage)

#### In consultation with:

Lars Anderson (Waterweed Solutions, Davis)
Donald H. Les (University of Connecticut, Storrs)
Scott Schuler (SePRO Corporation, Carmel, IN)
Andrew Skibo (SePRO Corporation, Fort Collins, CO)





















Surveyed 100+ at-risk lakes before (and during) treatment to assess feasibility of peninsula-wide eradication...




### Beck Lake (200 ac) whole treatment




- Some private landowners
- Floatplanes
- NO public access
- Flows into Bishop Creek
- Rainbow trout

## Daniels Lake (640 ac) partial treatment




- All private landowners
- Floatplanes
- 1 community boat launch
- Flows into Bishop Creek
- Sockeye salmon

### Stormy Lake (400 ac) whole treatment



- State Parks/KENWR
- 1 public boat launch
- Flows into Swanson River
- Arctic char




## 5 treatment sites on Daniels Lake

**Red** dots = 19 FasTEST sites

## Fluridone kills elodea systemically and selectively with few nontarget effects

- ✓ Absorbed through roots and shoots (systemic)
- ✓ Inhibits carotenoid synthesis (photosynthesis) and elodea is particularly sensitive (selective)
- ✓ Applied as liquid or slow-release pellets
- ✓ Degrades by photolysis, adsorption, absorption
- ✓ No restrictions on swimming, drinking or fishing.
- ✓ Minimal irrigation precautions
- ✓ Needs to be in water column for 45 90 days





## Diquat (\$9K) also applied in June 2014 to prevent Daniels Lake transitioning from 100-acre partial lake to 660-acre whole lake treatment

## Daniels Lake (partial treatment) Reward® Diquat bromide

Treatment Area	acres	gal
1	52.1	47
2	29.1	29
3	10.1	10
4	9.2	8
5	8.0	7
Σ	108.5	101



## Four herbicide treatments over three years (2014-16) to eradicate elodea

	Beck	Stormy	Daniels	
acres	200	400	660 (100)	Cost
approach	WHOLE	WHOLE	PARTIAL	
June 2014	liquid/pellet fluridone	liquid/pellet fluridone	<b>diquat</b> pellet	\$360k
Sept 2014	pellet	pellet	pellet	
June 2015	pellet	pellet	pellet	\$144k
June 2016	pellet	pellet	pellet	\$116k
cost	\$113K	\$320K	\$197K	\$620K

#### **Application equipment**



**Pellet blower for SonarONE** 



**Pump for Sonar Genesis, Diquat** 

#### **Nets at lake outlets**



















#### Sampling design to assess fluridone concentrations in water column


10.00		15-Jun	1-Jul	1-Aug	1-Sep	1-Oct		
Lake	FasTEST Site	2 WAT	4 WAT	8 WAT	12 WAT	16 WAT	Latitude	Longitude
Daniels Lake	1	X	X	X	X	Х	60.7516372	-151.167864
Daniels Lake	2	X	X				60.7489173	-151.169602
Daniels Lake	3	X	X	X	X	X	60.7255421	-151.178378
Daniels Lake	4	X	X				60.7256261	-151.1806742
Daniels Lake	5	X	X				60.727812	-151.195308
Daniels Lake	6	X	X	Х	X	Х	60.7291887	-151.195973
Daniels Lake	7	X	Х				60.728905	-151.191960
Daniels Lake	8	X	X				60.7336754	-151.199471
Daniels Lake	9	X	X	X	X	X	60.7350518	-151.201155
Daniels Lake	10	X	Х				60.7362653	-151.199675
Daniels Lake	11	X	X				60.7377676	-151.2136654
Daniels Lake	12	X	X	X	X	X	60.7389127	-151.2107042
Daniels Lake	13	X	X				60.7408561	-151.211026
Daniels Lake	14	X	X	h			60.7397951	-151.216047
Daniels Lake	15	Х	Х	Х	Х	Х	60.7413813	-151.215145
Daniels Lake	16	X	X				60.733263	-151.187460
Daniels Lake	17	X	X	X	Х	Х	60.7314558	-151.171753
Daniels Lake	18	X	Χ				60.742802	-151.174499
Daniels Lake	19	X	X	4	4		60.7393565	-151.201879
Beck Lake	1	X	X	X	Х	Х	60.7408472	-151.130018
Beck Lake	2	X	Χ				60.7378211	-151.134439
Beck Lake	3	X	X	X	X	X	60.7336602	-151.135340
Beck Lake	4	Х	X				60.7325465	-151.12890
Beck Lake	5	X	Χ				60.7300037	-151.133237
Beck Lake	6	X	Χ	X	Х	Х	60.7263682	-151.13478
Stormy Lake	1	X	Х				60.7874167	-151.032700
Stormy Lake	2	X	X	Х	Х	Х	60.7840311	-151.040086
Stormy Lake	3	Х	Х				60.7797427	-151.040284
Stormy Lake	4	X	Х	Х	Х	Х	60.7794847	-151.056045
Stormy Lake	5	X	X				60.7716495	-151.053276
Stormy Lake	6	X	Х	Х	Х	X	60.7696181	-151.062772
	Total Samples	31	31	13	13	13		
	Grand Total	101						



1<sup>st</sup> application (Beck, Daniels) 3-4 Jun 14 1<sup>st</sup> application (Stormy) 23 Jul 14 2<sup>nd</sup> application (Beck, Daniels, Stormy) 16-17 Sep 14 3<sup>rd</sup> application (Daniels) 24 Jul 15 4<sup>th</sup> application (Daniels) 19 Oct 15















2 weeks (Stormy)

8 weeks (Beck)


14 weeks (Beck)





SURVEY	LAKE		
	Beck	Daniels	Stormy
May 2014 (pre-trmt)	70	22	50




SURVEY	LAKE		
	Beck	Daniels	Stormy
May 2014 (pre-trmt)	70	22	50
Sept 2014 (post)	12	0	46









SURVEY	LAKE		
	Beck	Daniels	Stormy
May 2014 (pre-trmt)	70	22	50
Sept 2014 (post)	12	0	46
May 2015 (post)	0	0	20









SURVEY	LAKE			
	Beck	Daniels	Stormy	
May 2014 (pre-trmt)	70	22	50	
Sept 2014 (post)	12	0	46	
May 2015 (post)	0	0	20	
Sept 2015 (post)	0	0	0*	









SURVEY	LAKE			
	Beck	Daniels	Stormy	
May 2014 (pre-trmt)	70	22	50	
Sept 2014 (post)	12	0	46	
May 2015 (post)	0	0	20	
Sept 2015 (post)	0	0	0*	








SURVEY	LAKE			
	Beck	Daniels	Stormy	
May 2014 (pre-trmt)	70	22	50	
Sept 2014 (post)	12	0	46	
May 2015 (post)	0	0	20	
Sept 2015 (post)	0	0	0*	
May 2016 (post)	0	0	0	

#### Does fluridone persist in sediment?




#### Does fluridone persist in sediment?




<sup>\*</sup>no detect, 2015 avg = 13.9, 2016 avg = 4.5

## Some necrosis and loss of non-target plants








Why Kenai cares about Fairbanks.....









#### Next steps in 2017

- ✓ Continued monitoring to confirm success of eradication and assess post-treatment native flora response
- ✓ Continued fluridone monitoring in water column and sediment
- ✓ Continued outreach
- ✓ Continue working with other areas in AK
- Preparing for Sport Lake





the invasive species

### **ELODEA**

in SPORTS LAKE

#### **PUBLIC MEETING**

Please join us to discuss the management & use of herbicides for elodea, an invasive aquatic plant, in Sports Lake

WEDNESDAY, APRIL 12<sup>TH</sup>, 5:30-7:30

COOK INLET AQUACULTURE BUILDING

40610 KALIFORNSKY BEACH ROAD

WHY IT'S A PROBLEM:









For more information visit: http://plants.alaska.gov/invasives/elodea.html

#### Contact:

Jennifer @kenaiwatershed.org 907-260-5449 ext 1210























